

In the Claims:

- 1.(currently amended) A hydroxamate composition for addition to an aqueous ore slurry for collection of minerals by froth flotation, the composition including an aqueous mixture of hydroxamate wherein the pH of the composition is at least 11.
- 2.(currently amended) A hydroxamate composition according to ~~as in~~ claim 1 wherein the pH of the composition is in the range of from 11 to 13.
3. (currently amended) A hydroxamate composition according to ~~as in~~ claim 1 wherein the pH of the composition is in the range of from 11.5 to 13.
4. (currently amended) A hydroxamate composition according to ~~as in~~ claim 1 wherein the pH of the composition is in the range of from 12.0 to 12.5.
5. (currently amended) A hydroxamate composition according to ~~in~~ claim 1 wherein the hydroxamate is a fatty hydroxamate.
6. (currently amended) A hydroxamate composition according to ~~as in~~ claim 5 wherein the fatty portion of the fatty hydroxamate has a carbon chain length in the range of from 6 to 14 carbon atoms.
7. (original) A hydroxamate composition according to claim 6 wherein the fatty portion has a carbon chain length in the range of from 8 to 12 carbon atoms.
8. (original) A hydroxamate composition according to claim 7 wherein the fatty portion has a carbon chain length of 8 or 10 carbon atoms, or mixture thereof.
9. (original) A hydroxamate composition according to claim 8 wherein fatty portion of the fatty hydroxamate is sourced from fractionated coconut and palm kernel oil.

10. (original) A hydroxamate composition according to claim 8 wherein the composition is essentially free of water insoluble solvents.
11. (original) A hydroxamate composition according to claim 10 wherein the composition contains less than 5% w/w of fatty acid impurity.
12. (currently amended) A hydroxamate composition according to ~~as in~~ claim 11 wherein the counter ion is sodium, potassium or a mixture of sodium and potassium.
13. (currently amended) A hydroxamate composition according to ~~as in~~ claim 11 wherein the counter ion is present in excess.
14. (original) A hydroxamate composition according to claim 11 wherein the concentration of the hydroxamate is in the range of from 1 to 60% by weight of the aqueous mixture.
15. (original) A hydroxamate composition according to claim 1 wherein the concentration of the hydroxamate is in the range of from 5 to 50% by weight of the aqueous mixture.
16. (currently amended) A hydroxamate composition according to ~~as in~~ claim 11 wherein the composition is formulated as a paste comprising 30 to 50% parts by weight of alkali metal hydroxamate and 50 to 70% parts by weight water and optionally, other components.
17. (original) A hydroxamate composition according to claim 14 further comprising hydroxylamine in an amount of up to 1% by weight of the total hydroxylamine composition.

18. (original) A method of collecting mineral values from an aqueous ore slurry by froth flotation, the method comprising the step of adding an aqueous hydroxamate composition to the aqueous ore slurry wherein the pH of said aqueous hydroxamate composition is at least 11.
19. (original) A method of froth flotation of minerals from ore comprising:
- (i) forming an aqueous slurry of the ore;
 - (ii) optionally adjusting the pH of the slurry;
 - (iii) adding to the slurry an aqueous composition of fatty hydroxamate of claim 1;
 - (iv) agitating the slurry to mix and condition the fatty hydroxamate and ore slurry;
 - (v) adding a frothing agent to the slurry;
 - (vi) agitating the slurry to form a froth containing floated minerals; and
 - (vii) removing the froth and collecting the floated minerals in the presence of the hydroxamate.
20. (currently amended) A method of collecting mineral values according to ~~as in~~ claim 18 ~~or claim 19~~ wherein the fatty hydroxamate has a carbon chain length in the range of from 8 to 12 carbon atoms.
21. (currently amended) A method of collecting mineral values according to ~~as in~~ claim 18 ~~or claim 19~~ wherein the counter ion present in the hydroxamate salt is an alkali metal.
22. (currently amended) A method of collecting mineral values according to ~~as in~~ claim 18 ~~or claim 19~~ wherein the counter ion is sodium, potassium or a mixture of sodium and potassium.
23. (currently amended) A method of collecting mineral values according to ~~as in~~ claim 18 ~~or claim 19~~ wherein the counter ion is present in excess.

- 24.(currently amended) A method of collecting mineral values according to ~~as in~~
claim 18 ~~or claim 19~~ wherein the amount of hydroxamate reagent is in the range
of 0.1 to 500 g per tonne of ore.
- 25.(currently amended) A method of collecting mineral values according to claim 18
~~or claim 19~~ wherein the hydroxamate composition is added to the slurry as a
dilute solution of concentration in the range of from 1 to 30% of hydroxamate salt
by weight of the total aqueous hydroxamate composition and preferably mixed
for at least 30 minutes before use.
- 26.(original) A method according to claim 25 wherein the dilute solution of
hydroxamate is prepared by diluting a hydroxamate composition with aqueous
alkali metal hydroxide.
- 27.(original) A method according to claim 26 wherein the hydroxamate is diluted with
1% KOH solution.